Tuning Table

PRICE LIST



SPECIAL ACCESSORIES

for Systems

AKKOtune compact AKKOtune modular AKKOtune modular LE

and system-independent



valid: Apr-23

For equipping an existing or new tuning workstation with a surface that is suitable for placing reed blocks on top and to avoid lateral air leakage.

For this purpose, the cover is made of robust saddlery leather and likewise the inserts with the different blowholes. The size is selected so that all instruments can be accommodated from the smallest "Schwyzerörgeli" to the largest concert accordion. when tested as a whole. For fixation the instrument is held in place by lateral hold-downs and a clamping bridge.

removed tuning sticks can be guided above the blowhole and along an adjustable stop rail in such a way that the air flow hits only one particular tone chamber.

For the fixation of the guide rail, hold-down devices and accessories, the worktop is equipped with a total of nine threaded inserts. The inserted blowholes are secured against being pulled out by a locking mechanism.

Price **

C1	AKKÖ tune DESK	in combination with AKKOtune modular system order	335€
		without AKKOtune modular system order*	460 €
	Workton with swappable Blow H	lola Insarts	

Worktop with swappable Blow Hole Inserts covered with saddlery leather, incl. 4 inserts incl. 2 side hold-downs and instrument fixation bracket incl. 2 start grip screws for accessory fixation incl. Plain reed block guide incl. Equalization foam mat Dimensions: W 600 x D 380 x H 30 mm excl. Air Flange, as A1



With USB Port:

Code

For detection of tones generated inside the blow hole and outside the table two microphones are positioned inside the blow hole and on the included gooseneck. They are connected to a small electronic device that combines and route them to a USB port.

Three pushbuttons at the front allow to select whether the internal, external, or both signals are routed to the USB port


C2 **AKKOtune DESK+**


645€ in combination with AKKOtune modular system order 770€


without AKKOtune modular system order*

- Worktop with swappable Blow Hole Inserts, incl. microphones and USB port covered with saddlery leather, incl. 4 inserts mit USB Anschluss der separat wählbaren integrierten Mikrofone,
- 1x in blow hole and 1x gooseneck microphone (incl.)
- incl. 2 side hold-downs and instrument fixation bracket
- incl. 2 start grip screws for accessory fixation
- incl. Plain reed block guide
- incl. Equalization foam mat
- Dimensions: W 600 x D 380 x H 30 mm
- excl. Air Flange, as A1


including under-table-flange* all prices net, excl. VAT and EWX**







for 15-17 mm width




for 3 reedplates of 15-17 mm width

flat guide rails allow tuning directly in the holder. reedplate guides may be completely closed

2-3 reedplates may be blown parallel for tremolo tuning

adjustable Holder for reed plates of 20-30/42-55 mm width and 97-98 mm length Flat guide rails allow tuning directly in the holder.



E4 Bandoneon reed plate holder

with foam cushions as air seal besides the blown reed adjustable for different plate widths

E5 **Bajan reed plate holder** blow hole insert with foam cushions as air seal besides the blown reed adjustable for different plate widths

E6 **Harmonica reed plate holder** blow hole insert with foam cushions as air seal besides the blown reed adjustable for different plate widths 449€

399€

399€



AKKOmbar

Air Pressure Gauge

Desktop meter and display for air pressure in the tuning table (vacuum/excess) Connectors for air pressure hose and power supply on the back. Large backlit LC-display with 14mm high characters. With turning knob for Zero adjustment.

Inkluding: Air pressure hose, 1m Hose nipple for connection to the tuning table/bellows 12 DC power plug, 1A User guide for installation and operation.

Measuring range in Millibar: Dimensions: -20 to +20 mbar (1 mbar = 100 Pascal) W 85 x D 145 x H 73 mm

Χ7

299€



Robert Thielmann Sagigut 9 5036 Oberentfelden Schweiz

UID-Reg.: CHE-155-382.728

Tel.+41 62 723 38 04Mob.CH+41 76 470 25 65Mob.DE+49 159 02 7979 02eMailakkofixx@akkofixx.comwebwww.akkofixx.com

Bankverbindungen

CHF	IBAN:	AKKOfixx Akkordeon-Service CH43 0076 1644 5392 2200 1 KBAGCH22
EUR		Robert Thielmann DE22 2004 1155 0419 3348 00 COBADEHD055