

# Tuning Table

## PRICE LIST

USD

**AKKO**<sup>V5</sup>  
*compact* **tune**



System und Accessories  
More Accessories in Price List SPECIAL ACCESSORIES

Prices are based on the Euro price list and may vary depending on the USD/EUR exchange rate. Now: 0.96

valid from: Jan-25

**AKKO**  
Thielmann **fixxx**  
Accordion - Service

# AKKO<sup>V5</sup> compact **tune** *Tuning table Version 5.0*

Price \*

Code

X1 **AKKOtune compact Version 5** \$2'396

Tuning table for reed instruments

- with electronically controlled air stream
- with electronic pressure display
- with quick electronic PUSH/PULL change-over
- with leather coated top plate and 9x M6 threaded inserts for accessory fixation
- with swappable blow hole inserts
- with remote start option

X2 **AKKOtune compact V5 USB** with integrated microphones \$2'719

Tuning table for reed instruments

**In addition to X1**

- with microphone in blow hole
- with gooseneck microphone
- with microphone selection panel and USB port

X2.1 **AKKOtune compact V5 AIO1** ATc All-In-One1 \$2'854

Tuning table for reed instruments

**In addition to X2**

- with integrated Chromatic Tuner for immediate pitch display
- with switchover from internal sound display to USB sound display
- with option for air pressure pedal to control the wind force

X2.2 **AKKOtune compact V5 AIO2** ATc All-In-One2 \$2'969

Tuning table for reed instruments

**In addition to X2**

- **with** Chromatic Tuner KORG OT-120
- with cradle for KORG OT-120
- with Interlink cable for transmitting the microphone signals and power supply
- with switchover from OT-120 sound display to USB sound display
- with option for air pressure pedal to control the wind force

Dimensions:	W 600 x D 380 x H 210 mm
Packing dimensions:	W 775 x D 575 x H 375 mm
Weight, excl. Accessories:	approx. 14 kg
Noise min/max:	<2dB/<10dB above environmental noise
Air power:	1280 Pa max. static pressure
Usable pressure range:	approx. 0,2 - 9.9 mbar
Power Supply:	ext. PSU 12V DC, 6000 mA

technical changes reserved without notice

all prices net, excl. VAT and EWX \*

## ***AKKOtune compact V5***

### ***Accessories in standard delivery***

- 5 Blow hole inserts, round 8, 14, 50 mm, slot 8x35 mm, square 10x10mm
- 1 Reed block guide, plain version
- 2 hold-down for left and right side, for instrument fixation
- 2 M6 star grip screws for accessory fixation
- 1 Fixation bracket for "halved" instruments
- 1 External PSU, 12V, 6000mA, with 1,5m cable and switch
- 1 Equalization foam mat
- 1 User Guide

### ***Special accessories for use with AKKOtune compact***

**Price \***

#### **Code**

D1	<b>additional Blow Hole Insert</b>	acc. to customer specification for example different blow hole-Ø or several blow holes	\$54
D2	<b>additional Equalization Foam Mat</b>	for bridging uneven (bellows) rims when placing a "halved" instrument on worktop	\$18
D3	<b>Replacement Covering for AKKOtune compact worktop</b>	sturdy saddlery leather, black complete with holes and cuts, provided with adhesive tape with application instructions	\$109
D4	<b>Fixation bracket</b>	for Bandoneon extra long legs to put on hold-downs	\$99
D5	<b>Reed block guide</b>	with movable hold-down incl. set of accessories	\$207
D6	<b>Gooseneck, long</b>	with mounting base incl. 1 microphone clip for standard microphones	\$114
F1	<b>AKKOtune Foot Switch</b>	1 Pedal for momentary STOP With 1.5m cable and 3,5mm jack for the remote start socket	\$47
F2	<b>AKKOtune Foot Switch</b>	2 pedals for start PUSH/PULL      1 stomp button for STOP With 1.5m cable and 3,5mm jack for the remote start socket	\$114
F3	<b>AKKOtune ATc Speed Pedal</b>	Rocker pedal for adjusting air pressure for use with AKKOtune compact V5 with potentiometer for reduced maximum pressure with 1 cable. 1,5 m	\$124
K120	<b>KORG OT-120</b>	Orchestral Chromatic Tuner Independently usable tuner with backlit needle display For insertion into the cradle on the ATc AIO2 After connecting to the ATc AIO2 with the interlink cable, the voltage is supplied via this and the microphone signals from the tuning table are transmitted to the OT-120. Supplied with bag and operating instructions.	\$115



Robert Thielmann  
Sagigut 9  
5036 Oberentfelden  
Schweiz

UID-Reg.: CHE-155-382.728

Tel. +41 62 723 38 04  
Mob.CH +41 76 470 25 65  
Mob.DE +49 159 02 7979 02  
eMail [akkofixx@akkofixx.com](mailto:akkofixx@akkofixx.com)  
web [www.akkofixx.com](http://www.akkofixx.com)

#### Bank Accounts

**CHF/** Aargauische Kantonalbank AKKOfixx Akkordeon-Service  
**USD** IBAN: CH43 0076 1644 5392 2200 1  
BIC: KBAGCH22

**EUR** comdirect Bank AG, DE Quickborn Robert Thielmann  
IBAN: DE22 2004 1155 0419 3348 00  
BIC: COBADEHD055