

# Tuning Table

## PRICE LIST

EUR

**AKKO** V3  
*compact* **tune** e



valid from: Sep-20

**AKKO**  
Thielmann **fixx**  
Accordion - Service

X1	<p><b>AKKOtune compact V3</b></p> <p>Tuning table for reed instruments</p> <ul style="list-style-type: none"> <li>• with electronically controlled air stream</li> <li>• with electronic pressure display</li> <li>• with quick electronic PUSH/PULL change-over</li> <li>• with leather coated top plate and 9x M6 threaded inserts for accessory fixation</li> <li>• with swappable blow hole inserts</li> <li>• with remote start option</li> </ul>	2'300.00 €
----	--	------------

X2	<p><b>AKKOtune compact V3 USB</b> with integrated microphones</p> <p>Tuning table for reed instruments</p> <ul style="list-style-type: none"> <li>• with electronically controlled air stream</li> <li>• with electronic pressure display</li> <li>• with quick PUSH/PULL change-over</li> <li>• with leather coated top plate and 9x M6 threaded inserts for accessory fixation</li> <li>• with swappable blow hole inserts</li> <li>• with remote start option</li> <li>• with microphone in blow hole</li> <li>• with gooseneck microphone</li> <li>• with microphone selection panel and USB port</li> </ul>	2'610.00 €
----	--	------------

Dimensions:	W 600 x D 380 x H 193 mm
Packing dimensions:	W 775 x D 575 x H 375 mm
Weight, excl. Accessories:	approx. 14 kg
Noise min/max:	<2dB/<10dB above environmental noise
Air power:	1280 Pa max. static pressure
Usable pressure range:	approx. 0,2 - 9.9 mbar
Power Supply:	ext. PSU 12V DC, 6000 mA

### Accessories in standard delivery

- 4 Blow hole inserts, round 8, 14, 50 mm, slot 8x35 mm
- 1 Reed block guide, plain version
- 2 hold-down for left and right side, for instrument fixation
- 2 M6 stra grip screws for accessory fixation
- 1 Fixation bracket for "halved" instruments
- 1 External PSU, 12V, 6000mA, with 1,5m cable and switch
- 1 Equalization foam mat
- 1 User Guide

<b>Accessories for use with AKKOtune compact</b>		<b>Price *</b>
D1	<b>additional Blow Hole Insert</b> acc. to customer specification for example different blow hole-Ø or several blow holes	52.00 €
D2	<b>additional Equalization Foam Mat</b> for bridging uneven (bellows) rims when placing a "halved" instrument on worktop	17.00 €
D3	<b>Replacement Covering for AKKOtune compact worktop</b> sturdy saddlery leather, black completed holes and cuts, provided with adhesive tape with application instructions	105.00 €
D4	<b>Fixation bracket</b> for Bandoneon extra long legs to put on hold-downs	95.00 €
D5	<b>Reed block guide</b> with movable hold-down incl. set of accessories	199.00 €
D5a	<b>Reed block guide</b> with movable hold-down incl. set of accessories ordered together with AKKOtune System	130.00 €
D6	<b>Gooseneck, long</b> with mounting base incl. 1 microphone clip	109.00 €
E1	<b>Multi reed plate holder</b> blow hole insert adjustable Holder for reed plates of 15-25 mm width and and 20-95 mm length Flat brass guide rails enable tuning of reed within the holder Reed plate guide can be closed completely, and up to 3 reed plates can be blown side by side (tremolo tuning). Dimensions: W 360 x D 180 x H 40 mm	1'040.00 €
E1a	<b>Multi reed plate holder</b> <i>not a</i> blow hole insert as above, but without insertion plate for the blow hole	990.00 €
E2	<b>Helicon reed plate holder</b> blow hole insert adjustable Holder for reed plates of 20-30/42-55 mm width and 97-98 mm length Flat brass guide rails enable tuning of reed within the holder	480.00 €
E2a	<b>Helicon reed plate holder</b> <i>not a</i> blow hole insert as above, but without insertion plate for the blow hole	435.00 €
E4	<b>Bandoneon reed plate holder</b> blow hole insert with foam cushions as air seal besides the blown reed adjustable for different plate widths	399.00 €
E5	<b>Bajan reed plate holder</b> blow hole insert with foam cushions as air seal besides the blown reed adjustable for different plate widths	449.00 €
E6	<b>Harmonica reed plate holder</b> blow hole insert with foam cushions as air seal besides the blown reed adjustable for different plate widths	399.00 €

			<b>Price *</b>
F1	<b>AKKOtune Foot Switch</b>	for starting the blower with 1.5m cable and 3,5mm jack for the remote start socket	45.00 €
F2	<b>AKKOtune Foot Switch</b>	for starting the blower and toggle wind direction with two foot pedals. With 1.5m cable and 3,5mm jack for the remote start socket	109.00 €



### ***For use with AKKOtune compact***

Also usable with other tuning tables with matching blow hole position and possibility to fix the device firmly.

X5	<b>AKKOblock</b>	<b><i>Direct tuning device for reed blocks</i></b>	1'210.00 €
	<p>For direct tuning of reed block, which are inserted horizontally in the device.            Rack and pinion drive for precise positioning of reed block in front of blow hole.            As the reed block sole is vertically positioned the reed are horizontally ready for tuning. 2 integrated microphones pick up the frequencies inside and outside the blow module.            incl. 2 swappable blow holes, USB cable and Remote Start cable</p>		
X6	<b>AKKOblock Hand Support</b>	height 4x adjustable for use with a fixed AKKOblock	105.00 €



X7	<b>AKKOMbar</b>	<b><i>Air Pressure Gauge</i></b>	299.00 €
	<p>Desktop meter and display for air pressure in the tuning table (vacuum/excess)            Connectors for air pressure hose and power supply on the back.            Large backlit LC-display with 14mm high characters.            With turning knob for Zero adjustment.</p> <p>Inkluding:            Air pressure hose, 1m            Hose nipple for connection to the tuning table/bellows            12 DC power plug, 1A            User guide for installation and operation.</p> <p>Measuring range in Millibar:                   -20 to +20 mbar (1 mbar = 100 Pascal)            Dimensions:                                       W 85 x L 145 x H 73 mm</p>		



Robert Thielmann  
Sagigut 9  
5036 Oberentfelden  
Schweiz

UID-Reg.: CHE-155-382.728

Tel. +41 62 723 38 04  
Mob.CH +41 76 470 25 65  
Mob.DE +49 159 02 7979 02  
eMail [akkofixx@akkofixx.com](mailto:akkofixx@akkofixx.com)  
web [www.akkofixx.com](http://www.akkofixx.com)

#### Bank Accounts

**CHF** Aargauische Kantonalbank AKKOfixx Akkordeon-Service  
IBAN: CH78 0076 1161 0589 4200 2  
BIC: KBAGCH22

**EUR** comdirect Bank AG, DE Quickborn Robert Thielmann  
IBAN: DE22 2004 1155 0419 3348 00  
BIC: COBADEHD055